

# THE *Current*

August 27, 2009

Gail Gallessich

## **The Invasive Green Mussel May Inspire New Forms of Wet Adhesion**

The green mussel is known for being a notoriously invasive fouling species, but scientists have just discovered that it also has a very powerful form of adhesion in its foot, according to a recent article in the *Journal of Biological Chemistry*. The stickiness of the mussel's foot could possibly be copied to form new man-made adhesives.

Other mussels have inspired synthetic polymers that have been made into versatile adhesives and coatings, explained J. Herbert Waite, senior author and a professor in UC Santa Barbara's Marine Science Institute. They all rely on proteins that contain an amino acid called "Dopa," (identical to the Dopa used to treat Parkinson's disease) and have been studied extensively by Waite and his research group.

Waite learned that the green mussel, *Perna viridis*, relies on an alternative to the common "Dopa" chemistry, based on an elaborate modification of the amino acid tryptophan in the green mussel's adhesive protein. Its adhesive chemistry is much more complicated than that of mussels previously studied. It took Waite and his team six years to unravel the story.

The green mussel's sticky adhesiveness has the potential to help form strong bonds in wet surfaces, including teeth and bones. In addition, the adhesive could be used to repair ships that have developed cracks while at sea and must be repaired in a wet environment.

Waite was first alerted to the complicated adhesive of the green mussel when a Japanese group contacted him to comment on their research on the animal. He then learned of an infestation of green mussels in Tampa Bay, Fla.

On further study, he learned that the aggressive green mussel had moved from India's Sea of Bengal to many locations around the world, including the coasts of Japan, Australia, Korea, China, the Philippines, and Indonesia. Additionally, many Pacific Islands and the coasts of some countries surrounding the Gulf of Mexico have been invaded. "People are interested in how they invade, adapt, and spread so easily," said Waite.

Waite asked the U.S. Geological Survey and Florida Sea Grant to send him frozen specimens from Tampa Bay, as this is the only way that California would allow the green mussel to be shipped into the state. The feet were severed from about 100 freshly shucked mussels. After thawing, they were placed in a tissue grinder and then centrifuged for study.

"One aspect that is kind of scary is that the green mussel is more successful than other kinds of mussels at living in polluted water," said Waite. Coastal power plants that flush warm seawater into the ocean provide an ideal environment for the mussels. "Once they get a foothold, they stay."

The other authors on the paper are Hua Zhao of the Institute of Chemical and Engineering Sciences, part of the contract research corporation A\*STAR in Singapore, Jason Sagert and Dong Soo Hwang of the Marine Science Institute at UCSB.

Issued: 8/27/09;

Corrected: 9/15/09

Related Links

[J. Herbert Waite](#)

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community

of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.