

THE *Current*

October 4, 2023

[Harrison Tasoff](#)

Reducing fishing gear could save whales with low impacts to California's crab fishermen

Sometimes simple solutions are better. It all depends on the nature of the problem. For humpback whales, the problem is the rope connecting a crab trap on the seafloor to the buoy on the surface. And for fishermen, it's fishery closures caused by whale entanglements.

Managing this issue is currently a major item on California's agenda, and it appears less fishing gear may be the optimal solution. So says a team of researchers led by Christopher Free, at UC Santa Barbara, after modeling the benefits and impacts that several management strategies would have on whales and fishermen. Their results, published in the journal [Biological Conservation](#), find that simply reducing the amount of gear in the water is more effective than dynamic approaches involving real-time monitoring of whale populations. There may even be solutions on the horizon that provide these benefits with fewer drawbacks.

"We were trying to figure out what types of management strategies would work best at reducing whale entanglements in the Dungeness crab fishery while also minimizing impacts to fishing," said first author [Free](#), a researcher at the university's Marine Science Institute. "And what we found is that some of the simpler strategies, such as just reducing the amount of gear allocated to the fishermen, outperformed a lot of the more complex management strategies."

Management falls into two basic categories. Static strategies remain the same regardless of conditions. These include gear reductions, season delays and early closures. Meanwhile, dynamic strategies adapt based on incoming information. These come in proactive and reactive flavors, depending on whether the change is based on surveys determining where whales are abundant or observed entanglements indicating where risk might be high.

Free and his colleagues created a computer model to investigate different management actions based on crab abundance, fisherman behavior and whale behavior. The model predicts how a given approach will affect total catch as well as the frequency with which whales encounter traps. Strategies included gear reductions and closures triggered by surveys, entanglements or time of year. The authors judged each action based on how well it reduced entanglement risk, while minimizing disruptions to the fishing season and total landings.

“No strategy was a panacea,” Free said. “But when we weighed these different methods holistically, gear reductions really stuck out as being the most efficient way of protecting whales with the least impacts to fishing.” A 30% reduction emerged as the optimal course of action.

Free has several explanations for these findings. First and foremost, reducing the amount of gear directly addresses the problem: the number of lines in the water for whales to get entangled in. Dynamic closures merely move these lines around. Static strategies also don’t rely on surveys or monitoring efforts which can be inconsistent, irregular and expensive.

The logistics involved in dynamic approaches also hamper their effectiveness. Unlike many types of fishing gear, crab traps are unsupervised, often for days at a time. What’s more, dynamic actions have a two-week implementation period. “That two-week delay really undermines the effectiveness of this type of dynamic management,” Free said.

Given this caveat, a regional closure might end up moving traps into an area that’s actually more risky for whales. There can also be a long delay between when a whale gets entangled and when it’s spotted. The animal could have dragged the gear for several weeks and hundreds of miles, meaning nobody can be sure where and when the whale got ensnared.

In contrast, static strategies are cheap and predictable. They require no costly equipment, and don't introduce any uncertainty into the fishing season or fishing grounds. The Dungeness crab fishery is a derby fishery, characterized by intense fishing effort early on. The abundance of crabs means that fishermen can still make good catches in those early weeks even with fewer traps. Indeed, most of the catch is landed early in the season.

According to Free, the fishery regularly catches 90% of male crabs in a season, yet simple management measures have maintained a sustainable and profitable fishery. Fishermen can only keep males above a certain size during a certain season. This ensures that young crabs can grow up, females can lay eggs, and the studs can fertilize the next generation. Turns out that the crab population is not limited for want of males.

But what was once the easiest fishery to manage is now among the hardest. Climate change has shifted whale foraging ground inshore — intensifying the overlap with fishing — and made toxic algae blooms more common — which can delay the opening of the season due to health risks. For instance, a severe algae bloom in 2015 delayed the opening until April, precisely when humpbacks are headed north to their summer feeding grounds. This caused a huge spike in entanglements, and the Center for Biological Diversity sued California for failing to comply with the Endangered Species Act and Marine Mammal Protection Act. The state settled, and there's since been a rush to overhaul the fishery's management plan.

To that end, the researchers developed a tool that enables policy-makers and regulators to test any management strategy they can think of, including ones the authors didn't consider. Models such as this one are crucial for these sorts of questions, where it's impractical, unethical or impossible to run an experiment.

One shortcoming of this model is that it aggregates all fishermen together, despite significant differences between them. For instance, some fishermen switch to different species after the initial boom, while others continue to focus on crabs. Vessel size, geography and license type all matter as well. It will take more research to understand how regulatory impacts distribute among different fishermen.

Free plans to investigate how to minimize the impact of toxic algae blooms on the fishery. Dynamic strategies actually show much more promise for tackling this issue.

He'd like to design a more precise algae monitoring system so that closures are limited to just what is essential for protecting public health. Clearly, there's still much to learn about what makes an issue more amenable to static or adaptive management strategies.

Some people are searching for an option that could avoid entanglements altogether. "Ropeless gear would be the silver bullet solution to this problem," Free said. If there are no ropes, then whales can't get tangled.

This technology does exist, but it presents challenges. A submerged buoy that can be released by an acoustic signal lets fishermen recover their traps without leaving lines to entangle whales in the water. But these high-tech traps are far more expensive than a simple crab pot on a line. The highest cost would likely come from the additional time required to locate and recover such traps. A few extra minutes can compound over hundreds of traps. Surface buoys also signal to other fishermen that a spot is claimed, and enable officials to locate and check traps. Clearly the concept still has some bugs to work out.

There is another viable alternative though: stringing multiple traps along a single line. With this strategy, fishermen could deploy the same number of traps while reducing the number of lines in the water, which are the real threat to whales. "It would be better than gear reductions," Free said. However, it is currently illegal in California to string multiple traps together. The technique is widespread in the Atlantic lobster fishery, so may work for crabs as well. Regulations could simply be changed to require a certain percentage of traps be trawled together.

"I really believe in this result," Free said, "that gear reductions offer the most promise for saving whales while maintaining a profitable fishery."

Tags

[Ocean and Beaches](#)

Media Contact

Harrison Tasoff

Science Writer

(805) 893-7220

harrisontasoff@ucsb.edu

About UC Santa Barbara

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.