

THE *Current*

July 24, 2025

[Debra Herrick](#)

How plastic pollution flows from rivers to oceans — and how to stop it

Rivers carry plastic across continents, so scientists tracked its movement across continents too.

A sweeping new UC Santa Barbara-led study spanning four continents and eight countries has amassed one of the largest datasets ever collected on plastic pollution in rivers — offering insights that the researchers responsible believe are key to helping turn off the tap of plastic waste.

Between 2020 and 2023, researchers worked with local partners to collect data from river sites in Mexico, Jamaica, Panama, Ecuador, Kenya, Vietnam, Thailand and Indonesia. But the study, published in the [Journal of Environmental Management](#), was much more than data gathering.

“What’s really exciting about this effort is that we were able to answer the same question — what does plastic pollution actually look like in rivers — across many different contexts, geographies and cultures,” said [lead author Chase Brewster](#), a project scientist in UCSB’s Benioff Ocean Science Laboratory.

Unique among many global pollution studies, the project took a community-led approach that emphasized local autonomy. Local nonprofits and social enterprises

led the work in their own communities, sorting plastic waste by item type and polymer category over three years. “Each site was an independent project,” Brewster explained. “They weren’t just collecting data. They were implementing technology to remove plastic from rivers, engaging governments, empowering communities and improving local conditions.”

Together, these local teams form the Clean Currents Coalition, a global initiative directed by the Benioff Ocean Science Laboratory to intercept plastic before it reaches the ocean while fostering education, local engagement and systemic change.

Over the three-year period, teams collectively removed and analyzed 3.8 million kilograms of river debris (equivalent to 380,000,000 single-use plastic water bottles) , with 66% classified as macroplastic. This large-scale, synchronous effort — rare in its scope and level of coordination — enabled researchers to compare data across diverse social, economic and environmental settings.

Researchers found substantial variation in the amount of plastic pollution intercepted in rivers studied — but all had plastic. Scaling up average plastic collection rates documented in this study would generate a preliminary estimate of 1.95 million metric tonnes (Mt) of plastic traveling down rivers worldwide every year. “That is an immense amount of plastic pollution,” said co-author and Benioff Ocean Science Laboratory Director, [Professor Douglas McCauley](#).

“There’s been a lot of modeling about how much plastic is moving from land to ocean, but we didn’t have good on-the-ground data about what kinds of plastic are showing up, or why,” Brewster said. “This project actually let us see those differences and test ideas about what policies and systems are working.”

“In a moment when the growing number of headlines about the threat of plastic pollution to human, animal and planetary health may cause us to throw our hands up in dismay, this work shows that river by river, community by community, we can gather data needed to inform lasting, systemic change and inspire hope along the way,” said Molly Morse, director of the Clean Currents Coalition and senior manager of the Benioff Ocean Science Laboratory.

For instance, the study found evidence that plastic bag bans can reduce leakage. “In Vietnam, where there’s no plastic bag ban, the proportion of bags in river waste was much higher than in Kenya, which has a full ban,” Brewster said. “It’s not a silver bullet — how you design and enforce these policies matters — but it shows they can work.” The planned implementation of a single-use plastic bag ban in Vietnam will soon provide a chance to use these data to measure the effectiveness of such a policy when it does come into effect.

Another finding centered on the informal waste-picking sector, where individuals or small scale networks of informal workers collect and sell recyclable materials, like bottles made from PET. “In places like Indonesia where you have a strong informal recycling network, you actually see less recyclable plastic ending up in rivers,” Brewster said. “That suggests that creating real value for plastic waste, while supporting the informal sector by recognizing their work and enabling political and financial investments to keep their services dignified and safe, ultimately leads to less plastic in waterways.”

Based on their study, researchers offer four key recommendations for reducing plastic pollution in rivers:

- Create value for plastic waste to support a circular economy through policies such as minimum recycled content and bottle deposit fees
- Invest in waste management and recycling infrastructure and services, including the people that provide these services (i.e. invest in waste-pickers)
- Improve standardized data collection to inform upstream prevention actions (i.e., monitoring efforts in rivers before and after policy implementation)
- Enact local and national policies tailored to context while supporting ambitious international frameworks, like the United Nations’ ongoing negotiations for a [global treaty to end plastic pollution](#)

The research team has made the [one-of-a-kind dataset](#) from the study publicly accessible to enable others to explore new research questions. “Our hope is that others will add to this dataset and draw answers to their own questions about plastic pollution from it,” McCauley said.

Beyond the data, Brewster emphasized the importance of the project's equitable, community-first design. "It wasn't just about UCSB collecting data," he said. "These were local leaders, often in the Global South, collecting meticulous data, building their own capacity for research and getting funding for broader environmental and social projects, from river cleanup technology to education programs and green public spaces."

In Panama, for instance, the local team used the region's [first autonomous, renewable-energy-powered trash wheel](#) to collect river plastic while gathering data to guide policy and cleanup efforts. "We are working together to clean up our communities and environments, making meaningful local impacts through a collaborative global effort," said co-author Mirei Endara de Heras, co-founder of Panama-based Marea Verde. "Being a part of this study only elevates those impacts. The data allow us to move beyond the constant battle of cleaning up to really begin to understand the problem and how to stop it in the first place."

Since 2020, the [Clean Currents Coalition](#) has removed more than 7.3 million kilograms of debris (over 4.4 million kilograms of it plastic) from rivers worldwide, while restoring habitats, improving local infrastructure, creating jobs and educating communities about sustainable practices.

"This work is really about turning off the tap of plastic pollution at its source," Brewster said. "It's not just cleaning rivers, it's about doing purposeful science and supporting the communities that are the real leaders that will make this change last."

To conduct their research, the team received funding from Lynne and Marc Benioff, the Coca-Cola Foundation and the Harris Family Charitable Gift Fund. To learn more about the co-authors and community leaders participating in this research, visit the [Clean Currents Coalition website](#).

Tags

[Climate Change](#)

Media Contact

Debra Herrick

Associate Editorial Director

(805) 893-2191

About UC Santa Barbara

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.