

UC SANTA BARBARA

# THE *Current*

April 23, 2009

Gail Gallessich

## **Fire Is Important Part of Global Climate Change, Report Scientists**

Fire must be accounted for as an integral part of climate change, according to 22 authors of an article published in the April 24 issue of the journal *Science*. The authors determined that intentional deforestation fires alone contribute up to one-fifth of the human-caused increase in emissions of carbon dioxide, a heat-trapping gas that raises global temperature.

The work is the culmination of a meeting supported by the Kavli Institute for Theoretical Physics (KITP) and the National Center for Ecological Analysis and Synthesis (NCEAS), both based at UC Santa Barbara and funded by the National Science Foundation.

The authors call on the Intergovernmental Panel on Climate Change (IPCC) to fully integrate fire into their assessments of global climate change, and to consider fire-climate feedbacks, which have been largely absent in global models.

The article ties together various threads of knowledge about fire, which have, until now, remained isolated in disparate fields, including ecology, global modeling, physics, anthropology, and climatology.

Increasing numbers of wildfires are influencing climate as well, the authors report. "The tragic fires in Victoria, Australia, emphasize the ubiquity of recent large wildfires and potentially changing fire regimes that are concomitant with

anthropogenic climate change," said first author David Bowman, professor at the University of Tasmania. "Our review is both timely and of great relevance globally."

Carbon dioxide is the most important and well-studied greenhouse gas that is emitted by burning plants. Other atmospheric changes caused by fires are increases in the greenhouse gas methane, increased aerosol particulates from smoke, and the changing reflectance of a charred landscape. Consequences of large fires also have huge economic, environmental, and health costs, report the authors.

The authors state, "Earth is intrinsically a flammable planet due to its cover of carbon-rich vegetation, seasonally dry climates, atmospheric oxygen, widespread lightning, and volcano ignitions. Yet, despite the human species' long-held appreciation of this flammability, the global scope of fire has been revealed only recently by satellite observations, available beginning in the 1980s."

They note, however, that satellites cannot adequately capture fire activity in ecosystems with very long fire intervals, or those with highly variable fire activity.

Co-lead author Jennifer Balch, a postdoctoral fellow at NCEAS, explains that there are bigger and more frequent fires from the western U.S. to the tropics. There are "fires where we don't normally see fires," she says, noting that in the humid tropics a lot of deforestation fires are occurring, usually to expand agriculture or cattle ranching. "Wet rainforests have not historically experienced fires at the frequency that they are today. During extreme droughts, such as in 97-98, Amazon wildfires burned through 39,000 square kilometers of forest."

She explains the importance of the article: "This synthesis is a prerequisite for adaptation to the apparent recent intensification of fire feedbacks, which have been exacerbated by climate change, rapid land cover transformation, and exotic species introductions -- that collectively challenge the integrity of entire biomes."

The authors acknowledge that their estimate of fire's influence on climate is just a start, and they highlight major research gaps that must be addressed in order to understand the complete contribution of fire to the climate system.

Balch notes that a holistic fire science is necessary, and points out fire's true importance. "We don't think about fires correctly," she said. "Fire is as elemental as air or water. We live on a fire planet. We are a fire species. Yet, the study of fire has been very fragmented. We know lots about the carbon cycle, the nitrogen cycle, but

we know very little about the fire cycle, or how fire cycles through the biosphere."

Research Contacts:

Jennifer Balch is available at

(202) 360-0923 (cell),

(805) 892-2522 (office),

or [balch@nceas.ucsb.edu](mailto:balch@nceas.ucsb.edu)

David Bowman is available at

042 88 94 500 (cell),

Tel (Int) +61 3 6226 1943,

Tel (Aus) 03 6226 1943,

or [david.bowman@utas.edu.au](mailto:david.bowman@utas.edu.au)

---

[\[RETURN TO TOP\]](#)

† Top photo: Satellite image of smoke plumes from Southern California wildfires billowing out over the Pacific Ocean. These wildfires spread over a two-week period in October 2007, burning over 500,000 acres, according to the California Department of Forestry and Fire Protection. Red outlines indicate active fires. Credit: Image courtesy of MODIS Rapid Response Project at NASA/GSFC

†† Middle photo: Smoke plumes from fires in Southeast Australia captured by satellite on January 11, 2007. Red outlines indicate active fires. Credit: Image courtesy of MODIS Rapid Response Project at NASA/GSFC

††† Bottom photo: David Bowman, University of Tasmania, and Jennifer Balch, National Center for Ecological Analysis and Synthesis, UCSB

Credit: Randall Lamb, Kavli Institute for Theoretical Physics, UCSB

Related Links

[Fire Conference Talks at KITP](#)

[Fire Information at NCEAS-Bowman](#)

[Fire Information at NCEAS-Balch](#)

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.