

UC SANTA BARBARA

# THE *Current*

October 27, 2011

Gail Gallessich

## **Scientists Make Strides Toward Drug Therapy for Inherited Kidney Disease**

Scientists at UC Santa Barbara have discovered that patients with an inherited kidney disease may be helped by a drug that is currently available for other uses. The findings are published in this week's issue of the Proceedings of the National Academy of Sciences.

Over 600,000 people in the U.S., and 12 million worldwide, are affected by the inherited kidney disease known as autosomal-dominant polycystic kidney disease (ADPKD). The disease is characterized by the proliferation of thousands of cysts that eventually debilitate the kidneys, causing kidney failure in half of all patients by the time they reach age 50. ADPKD is one of the leading causes of renal failure in the U.S.

"Currently, no treatment exists to prevent or slow cyst formation, and most ADPKD patients require kidney transplants or lifelong dialysis for survival," said Thomas Weimbs, director of the laboratory at UCSB where the discovery was made. Weimbs is an associate professor in the Department of Molecular, Cellular and Developmental Biology, and in the Neuroscience Research Institute at UCSB.

Recent work in the Weimbs laboratory has revealed a key difference between kidney cysts and normal kidney tissue. They found that the STAT6 signaling pathway -- previously thought to be mainly important in immune cells -- is activated in kidney cysts, while it is dormant in normal kidneys. Cystic kidney cells are locked in a state

of continuous activation of this pathway, which leads to the excessive proliferation and cyst growth in ADPKD.

The drug Leflunomide, which is clinically approved for use in rheumatoid arthritis, has previously been shown to inhibit the STAT6 pathway in cells. Weimbs and his team found that Leflunomide is also highly effective in reducing kidney cyst growth in a mouse model of ADPKD.

"These results suggest that the STAT6 pathway is a promising drug target for possible future therapy of ADPKD," said Weimbs. "This possibility is particularly exciting because drugs that inhibit the STAT6 pathway already exist, or are in active development."

---

[\[RETURN TO TOP\]](#)

† Top image: A polycystic mouse kidney (left) is several times larger than a normal mouse kidney (right).

The tissue architecture of the diseased kidney is destroyed by the growth of numerous cysts.

Credit: Thomas Weimbs and Erin Olsan

†† Bottom image: Thomas Weimbs with images of mouse polycystic kidney sections.

Credit: George Foulsham, Office of Public Affairs, UCSB

Related Links

[Weimbs Laboratory](#)

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.