

UC SANTA BARBARA

# THE *Current*

September 30, 2020

[Harrison Tasoff](#)

## Heading Upriver

A river's only consistent attribute is change. As the Greek philosopher Heraclitus remarked, "No man ever steps in the same river twice." Although this dynamic nature is often out of sight and mind, forgetting about it has led to many a historical catastrophe.

Recently, UC Santa Barbara geomorphologist [Vamsi Ganti](#) and his collaborators published a [study](#) finding that sea level rise will cause rivers to jump course, or avulse, more often on deltas than in the past. Now his team has discovered that a perfect storm of factors — including larger floods and finer sediment size — will enable these destructive events to occur farther and farther inland. Their results, which appear in [Geophysical Research Letters](#), warn of major disasters poised to hit many urban centers that historically never had to worry about these issues.

On large, relatively flat rivers, avulsions tend to occur in the backwater region, Ganti explained. "This is the zone over which the river flow feels the effect of the sea level." This region begins at the river mouth and can extend relatively far inland. For instance, the Mississippi River's backwater reach stretches 500 kilometers from the coast.

The team was looking through satellite and remote sensing data for historical avulsions and came across the unique deltas of Madagascar. The island has a host of short rivers that course down from the mountains carrying very fine sediment. This is due to the saprolitic soils — loose, soft soils made of silt and disintegrating rock — that dominate the country's highlands. Exacerbated by rampant deforestation on the

island, the exposed soils feed the island's turbid, red rivers and make it one of the fastest eroding places on Earth, according to lead author [Sam Brooke](#), a postdoctoral scholar in the Department of Geography.

Using multiple satellite images taken since the late 1970s, Brooke created time series animations that communicate just how fast Madagascar's river deltas are evolving. Using this data, he was able to obtain the rivers' discharge rates as well as the amount of time the channels remained full during floods.

Combining the data with the satellite imagery led to a surprising conclusion. The avulsions weren't occurring anywhere near the rivers' backwater zones. "Instead, they were about 20 times farther upstream," Brooke recalled, "way outside of where we'd expect them to be based on models using simple backwater scale." The researchers realized they had to update their models of where avulsions occur on deltas.

### **A better model**

The team's expanded theory boils down to a simple relationship. Two processes are at work in river channels — the duration of floods, and the time it takes for the river to adjust to changes. The relative timescales of these phenomena dictate where avulsions occur.

If floods are shorter than the time the river takes to adjust, then erosion and deposition are limited to the backwater zone. However, if floods last longer than it takes the river to adjust, erosion during floods can travel far upstream of the river mouth, which makes it possible for the river to avulse much farther inland.

Large flat rivers, like the Mississippi, change slowly, but steep rivers with lots of fine sediment can adjust quite quickly. "The whole channel can be resurfaced within the backwater zone in a given flood," said Ganti, "and erosion can propagate much farther upstream." This is the case for rivers like those in Madagascar, which are relatively steep and have a lot of fine sediment.



(Top) The immediate aftermath of an avulsion on the Morondava River, in Madagascar. (Bottom) The stabilized configuration of the new channel, with the former delta lobe now completely abandoned.

**Photo Credit:** LANDSAT 5-8 ARCHIVE, COURTESY OF USGS/NASA

A river floods when it's carrying enough water to overtop its banks. And for most of its length, a flooded waterway will do just that. But water level is constrained by sea level near the river's mouth up through the backwater zone. So the increased volume of water during floods begins moving faster, increasing erosion, and scouring the river bed deeper.

This wave of erosion can then spread upstream as flood conditions continue, enabling the river to avulse far upstream from the backwater zone — much farther than anticipated.

### **A foreboding picture emerges**

"Climate models predict that extreme floods will occur more often in a warming world," said Ganti. As a result, avulsions could begin moving even farther inland on rivers around the world.

But greenhouse gas emissions are not the only human activity affecting rivers. Sand and gravel are critical components in construction and infrastructure, and humans are now mining these resources on massive scales. Unfortunately, these make up the coarse fraction of alluvial sediment, which means that our activities are leading to finer sediment in many locations. Rivers can carry more of this fine-grained material, and the increased load reduces the amount of time it takes channels to change. Once again, this enables avulsions to occur farther upstream.

What's more, sea level rise is pushing the backwater zone itself farther inland. These three factors combine to create the perfect recipe for major avulsions to occur ever farther inland on deltas, Ganti explained. This could lead to an increasing trend of homes, lives and livelihoods lost due to extreme flooding, likely in locations that never had to deal with these hazards historically.

And according to the team's previous paper these events will also become more frequent as the sea level rises.

"We should brace ourselves for avulsion as a serious flood hazard in the future," Vamsi cautioned.

River deltas have always been a critical resource for humanity, harnessed for agriculture, transportation and industry. Many of civilization's largest cities have

grown along the banks of the world's great waterways. Their dynamism has always posed a challenge to society, but as rivers become less predictable and more volatile, researchers say, we will need to take more precautions to ensure our safety and wellbeing.

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.