

UC SANTA BARBARA

# THE *Current*

April 1, 2021

[Sonia Fernandez](#)

## Capturing the Complex

Despite the fact that our planet is mostly ocean and human maritime activity is more intense than it has ever been, we know remarkably little about the state of the ocean's biodiversity — the variety and balance of species that support healthy and productive ecosystems. And it's no surprise — marine biodiversity is complex, human impacts are uneven, and species respond differently to different stressors.

"It is really hard to know how a species is doing by just looking out from your local coast, or dipping underwater on SCUBA," said [Ben Halpern](#), a marine ecologist at the Bren School of Environmental Science & Management at UC Santa Barbara and Director of the National Center for Ecological Analysis and Synthesis. "You only see a small patch of where a species lives and what it is experiencing, and only the few species you happen to see on that day." Though valuable, these snapshots are only part of a much larger picture of cumulative human impacts on at-risk marine species. Even less obvious are changes in impact over time and assessments of vulnerability to these impacts, which differs across species.

However, the picture of marine biodiversity is about to get a lot clearer. In a first-of-its kind [study](#) published in the journal *Science*, Halpern, lead author [Casey O'Hara](#) and co-author Melanie Frazier broaden and deepen our understanding of the state of marine biodiversity with a global assessment of cumulative human impacts to at-risk marine species over a recent time period. Their findings could go a long way toward concrete conservation measures for the most vulnerable members of the marine community.

## Multidimensional Mapping

“This is the first study of its kind looking at the effects of human activity on marine species, and the first looking at changes over time,” said O’Hara, a doctoral student in the Bren School. Taking data on 1,271 threatened and near-threatened marine species from the International Union for Conservation of Nature and Natural Resources’ (IUCN) [Red List](#), the researchers mapped the at-risk species along range and anthropogenic stressors from 2003-2013.

“We focused on those species known to be at a higher risk of extinction because from a conservation perspective, it’s especially important to understand where and how our activities continue to jeopardize those species,” O’Hara said. “Not every species is affected the same way by various human activities — some species are more sensitive to fishing pressures while others are more vulnerable to rising sea surface temperatures or ocean acidification.” Mapping over a series of 11 years would also give the researchers a sense of cumulative human impact, a method they first employed in a [previous study](#) that focused on representative marine habitats.

It’s not a shock. Human impacts on marine biodiversity are increasing, dominated by fishing, direct human disturbance from land and ocean acidification. But there were some unexpected discoveries for the authors. The extent to which at-risk species are facing these pressures from human activities, and the pace at which the pressures are expanding and intensifying, is worrisome. Corals are the most widely impacted marine organism on Earth.

“I was surprised at the extent to which corals were impacted — coral species are facing impacts across essentially their entire ranges and those impacts are only getting more intense, particularly climate-related impacts,” O’Hara said. “We hear stories of coral bleaching and the like, but our results really highlight the impact we are having.” The species of the Coral Triangle — the tropical waters connecting Indonesia, the Philippines, Papua New Guinea and the Solomon Islands — are among the most affected by human impacts, as are species in the North Atlantic, North Sea and Baltic Sea.

The information from this approach could give decisionmakers a deeper understanding of where and how human activity is affecting marine biodiversity, which could lead to effective solutions. For instance, addressing areas of human impact overlap can maximize the benefits of conservation for several species in the

area. Effective conservation measures can help ease the pressures of climate change phenomena such as ocean acidification or rising ocean temperatures.

The team might get the chance to put their findings to work later this year, at the U.N. Convention on Biological Diversity's 15<sup>th</sup> Conference of Parties, where 197 participating nations and territories will convene on a framework to protect and conserve global biodiversity.

"That framework will include targets for protecting land and ocean areas globally, along the lines of President Biden's executive order to protect 30% of U.S. lands and coastal waters by 2030," O'Hara said. "With our study we hope to highlight those areas where such protection can do the greatest good for those species and ecosystems at greatest risk."

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.