

UC SANTA BARBARA

# THE *Current*

October 18, 2021

[Harrison Tasoff](#)

## Around the Watering Hole

Plants need water to grow. So if there's water, shouldn't there be more plants? New research out of UC Santa Barbara and Mpala Research Centre in Laikipia, Kenya shows it's a lot more complicated than that.

"You might think that water sources in arid locations have more plants," said lead author [Georgia Titcomb](#), a postdoctoral researcher at UC Santa Barbara. "We found that, in really arid locations, herbivores come for water, and trample and eat the plants, so there is a lot more bare ground or very well adapted grazing lawn grasses." But that's not the case everywhere on the savanna.

The researchers gathered data on watering hole communities over the course of two years to investigate how herbivore activity affects vegetation on the savannas of central Kenya. They determined that the impacts depend a lot on environmental conditions. Their study appears as a cover story in the journal [Ecological Applications](#).

Titcomb is actually a disease ecologist interested in the transmission of parasites and pathogens among wildlife and domestic animals. She was curious how water sources could aggregate animals in ways that promote disease transmission. She concluded that a key step in understanding this was to characterize the plant communities around water sources, as plants are an important vector for many parasites as well as a crucial resource for the animals themselves. After some preliminary analysis, Titcomb realized that this research would augment previous herbivore and plant ecology studies conducted in the area.

The team surveyed 17 pairs of sites a total of four times each over the course of two years. They paired each water source with a control site 1 kilometer away that had analogous environmental conditions. The researchers tallied vegetation diversity and height around the watering holes and at the control sites and identified herbivore activity based on dung. They also characterized the nutrients and physical composition of soil from each site.

Fieldwork around the watering holes presented a number of challenges. For example, the researchers also had to accommodate the wildlife. “We had to stop work when elephants came along, for example, and let them drink from the watering hole,” Titcomb recalled. “It was like, ‘alright everyone, leave the transect line, go get in the car and wait.’”

The authors found the effect of herbivores on the plant communities around these water sources differed depending on the context. Under favorable conditions for plants, the diversity of plants increased in proximity to water. This is likely because herbivores kept species in check that would otherwise dominate the area. This enabled other plant species to gain a foothold, even if the animals did eat more vegetation in the area overall.



Only the hardiest species can survive under less favorable conditions. Often these are grasses that form grazing lawns.

**Photo Credit:** FERGUSON AND TITCOMB ET AL.

Meanwhile, under more arid conditions, increased herbivore activity around water led to fewer plants and plant species. Titcomb suspects this is because there simply aren't enough resources for plants to be as resilient in these areas. Only the hardiest species were capable of withstanding these conditions and pressures. Generally, these were important grasses that formed grazing lawns frequented by wildlife and livestock alike.

The findings built upon previous research on these water sources, which has often been conducted in even more arid regions of the savanna, Titcomb said. Prior studies generally found that the areas around water sources were denuded of plants with depleted plant diversity. This paper extends those findings, showing that these plant communities exist along a spectrum based on environmental conditions in the area.



Bare patches of ground characterize watering holes in more arid locations.

**Photo Credit:** FERGUSON AND TITCOMB ET AL.

Due to the nature of the fieldwork, there were a number of related factors the authors couldn't untangle in this study. Water collects in particular places, influencing soil composition, nutrients and drainage, which all also affect plant growth. Water also attracts herbivores, which in turn affect plant survival when they feed or trample on them. All of these dynamics are tied together.

Sussing out the independent contributions of each of these factors would require controlled experiments. Nevertheless, the authors feel this study is an important first step in understanding these systems.

"This work offers critical insight into how changing patterns of animal movement and aggregation — such as the gathering of animals at watering holes — can change entire communities and ecosystems," explained co-author [Hillary Young](#), an ecology professor at UC Santa Barbara. "However, it also shows that these changes are hard to predict, and the size and even the direction of the effect can change based on the local environmental conditions, especially the climate."

"Humans are changing every part of our environment," Titcomb added. "We're re-sculpting the landscape, and so having some knowledge of those effects on plant communities will be important when thinking about management of wildlife and domestic animals."

Humans are not only changing the physical environment, we're also changing the composition of herbivores that live in these spaces, she pointed out. For many areas, mixed use — such as cattle grazing and conservation — is the only viable way to support and protect wildlife and the landscapes they live in. It can be very challenging to maintain a wildlife conservancy without additional income, Titcomb explained. These findings can inform efforts to manage wildlife alongside livestock.

"Work like this — which considers both changes in environmental conditions and animal movement — will be critical to understanding and managing ecosystems in this era of global change," Young said.

---

## **About UC Santa Barbara**

The University of California, Santa Barbara is a leading research institution that also provides a comprehensive liberal arts learning experience. Our academic community of faculty, students, and staff is characterized by a culture of interdisciplinary

collaboration that is responsive to the needs of our multicultural and global society. All of this takes place within a living and learning environment like no other, as we draw inspiration from the beauty and resources of our extraordinary location at the edge of the Pacific Ocean.